

Taking My Medications Regular Exercise Other My follow-up appointment is: My GOAL is: Possible barriers to meeting my goal: Things that would help me meet my goal: My confidence in meeting my goal:		to mana failure:	ge my			lonitorin ly Weigh	
My follow-up appointment is: My GOAL is: Possible barriers to meeting my goal: Things that would help me meet my goal:	HOTST				_		
My follow-up appointment is: My GOAL is: Possible barriers to meeting my goal: Things that would help me meet my goal:	A DELEA			a.ri~			
Possible barriers to meeting my goal: Things that would help me meet my goal:	My fo	llow-up	appoint	ment	is:	С	
Things that would help me meet my goal:	My G	OΔI is:	Narigraphy) H	Wantingto	Manques a	
A COMPANY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY.	My G	OAL is:	Surjective Pricedly	e i - soci	Wantington	Manpest Mappest Manpest Manpes	
My confidence in meeting my goal:	1	tonic v	iers to r	y Soci	Washington	/ goal:	
	Poss	ible barr	Notice actions	neeti	ng my	amilio 2	potto-

Heart Failure Can Be Managed

Heart failure means that your heart's pumping power is not as strong as usual. For most people, heart failure can be Living with Heart Failure

treated and managed, but not cured. Ask your doctor about which treatments are best for you.

This booklet is designed to help you live an active life with heart failure. Talk to your doctor or other health care provider about how you can successfully self-manage your heart failure. Use this booklet as a guide. Then share it with your family and other care givers.



Congestive Heart Failure Zones

GREEN ZONE: ALL CLEAR



My Weight Goal ______
No shortness of breath

No swelling

No weight gain

No chest pain

No decrease in your ability to maintain your activity level

YELLOW ZONE: CAUTION



If you have any of the following signs and symptoms:

Weight gain of 3 or more pounds in 2 days Increased cough Increased swelling Increase in shortness of breath with activity Increase in the number of pillows needed Anything else unusual that bothers you Call your physician if you are going into the YELLOW zone

RED ZONE: MEDICAL ALERT



Unrelieved shortness of breath Shortness of breath at rest Unrelieved chest pain Wheezing or chest tightness at rest Need to sit in chair to sleep

Weight gain or loss of more than 5 pounds in 2 days Confusion

Call your physician immediately if you are going into the RED zone

GREEN ZONE MEANS

Your symptoms are under control

Continue taking your medications as ordered Continue daily weights Follow low-salt diet Keep all physician appointments

YELLOW ZONE MEANS


Call your physician right away

Physician Number: _____

Physician Name:

You may need an adjustment of your medications

Call your physician, case manager or home health



Common medicines often prescribed for treating heart failure include:

ACE Inhibitors: Angiotensin Converting Enzyme Inhibitors (ACE Inhibitors) make it easier for the heart to pump. Examples are Capoten (captopril), Vasotec (enalapril), Prinivil (lisinopril) Zestril (quinapril), Altace (ramipril).

ARBs: Angiotensin Receptor Blockers (ARBs) work in a similar fashion to ACE Inhibitors. Examples are Altacand (candesartan), Avapro (irbesartan), Cozaar (losartan), Diovan (valsartan), Hyzaar.

Beta Blockers: Reduce the work of the heart. Examples are Inderal (propranolol), Toprol/Lopressor (metoprolol), Blocadren (timolol), Coreg (carvedilol), Tenormin (atenolol).

Diuretics: Diuretics, also known as water pills, help remove extra fluid from the body. Examples are Lasix (furosemide), Bumex (bumetanide), Aldactone (spironolactone), Hydrodiuril (HCTZ).

Digitalis: Digitalis strengthens each heartbeat, pumping more blood. Example: Lanoxin (digoxin).

Seek medical advice if you experience 1) changes in vision 2) yellow or blue halos with digoxin 3) light-headedness, dizziness, falls 4) leg cramps 5) new or persistent cough 6) worsening of heart failure symptoms



The most important thing you can do everyday is take your medication as prescribed.

Take medication daily as prescribed.

Do not miss a dose. If you do, DO NOT take extra.

Refill your medication as needed.

Do not stop taking your medications without talking to your physician.


If you cannot pay for your medications, let your physician know.

Let your physician know all of the medications you are taking, even over-the-counter medications.

Do not start any over-the-counter medication without talking to your physician first, because they may interact with your prescription medications.

When traveling, remember to keep your medications in their original containers.

Many of the medications you take for heart failure also work to control your blood pressure. Be sure to have your blood pressure taken regularly.





Monitor Your Weight

A sudden increase in weight, swelling or shortness of breath means your body is beginning to retain too much fluid.

Following the tips below can help you stay on top of fluid retention.

- Weigh yourself everyday at the same time and on the same scale
- Weigh yourself barefoot or in lightweight shoes
- Record your weight in your weight log
- If weight increases by 3 pounds in one day or 5 pounds in a week, call your physician
- Remember to take your medication and watch your salt intake
- Keep your legs elevated when sitting in a chair as much as possible

 Don't wait to call your physician with sudden WEIGHT changes



Weight Record

Date	Weight	Date	Weight
and the	8 8 4		100
- 7	beuttin or You	Van	mar Ba
islands N	Q R	T H	olomikla P
le .	The Party of the P		·\
· miles			in Francisco
			make
4-1	- J - C - Section	2.0,0	1
mar II po	1 0	distribution of the second	
· Islands .		/	
F	E A N	A Carrier	
75 plants		Washington 5	langues is
New Hebrids	Series L. Mar	Society P. Dunge	
CaledoniA		Tallin Sala	Helago
	Trojle of Capticorn	Australia	- Pitosan
<i>H</i>		4.4	-3.4
June	25		- 10°
wiften /	Academia Actionism	I. core	
Sicial Control	4		-E
-			
-		From Minney	martin-
	Auguretie	Oirche	

Your diet is important for managing your heart failure. Increased salt intake causes fluid to build up in your body. Too much salt will make your feet, ankles, legs and stomach swell.



Nutrition Facts Serving size 1 cup (30g) Servings Per Container 12	5
Amount Per Serving Calories 90 Calories for	rom Fat 10
Total Fat 1g	2%
Saturated Fat 0g	0%
Cholesterol 0 mg	0%
Sodium 190 mg	8%
Total Carbohydrate 22g	7%
Dietary Fiber 3g	12%
Sugars 9g Protein 3g	

milligrams of sodium per serving

Changing what and how you eat does not have to be hard. The goal is to reduce salt intake. There are numerous salt substitutes or spices you can use to retain the flavor of your food. Remember: One teaspoon of salt equals 2,300 mg of sodium. Low-salt diets usually allow 2,000-3,000 of sodium. Your physician will let you know how much salt you should consume per day based on your heart health.



Remember to read the label on packaged and canned foods for information on sodium (salt) content. Many of the foods listed below contain large amounts of salt and should be avoided.

- breaded fish
- canned meats, such as ham
- processed cheeses
- cottage cheese and cheese spreads
- salted chips and salted crackers
- tomato sauce and vegetable juices
- deli food, such as coleslaw
- potato salad and macaroni salad
- premixed gravies and processed foods
- prepared meats, such as hot dogs, bologna and salami
- boxed foods and dinners, such as macaroni and cheese
- · canned soups, canned vegetables
- Chinese food
- fast food
- pickled vegetables, sauerkraut
- · pickles and olives



Choosing the Right Foods



- Limit your use of prepackaged and canned foods
- Read labels
- CAUTION: Foods that are labeled "low fat or healthy" are not necessarily low sodium
- Restaurant food is loaded with salt.
 Make sure you ask for no added salt or msg
- Limit your fluid intake based on your physician recommendation
- Check with your physician for the right salt substitute (some may interfere with your medications)
- Reduce your alcohol consumption

With heart failure, your weak heart pumps too little blood to meet all of your body's needs. Walking long distances, carrying

groceries or climbing stairs can be hard to do. A daily routine will help you. Be sure to get plenty of rest. Work with your doctor and health care providers to develop an exercise plan based on your needs and condition. Be sure to follow them as determined by your doctor.

If you have any of the problems listed below, call your doctor right away.

- Trouble breathing, especially during activity, exercise or when lying flat in bed
- · Waking up at night and being short of breath
- A frequent dry, hacking cough, especially when lying down
- Feeling unusually tired or weak

Your Activities

- Getting dizzy, feeling light-headed
- · Having swollen feet, ankles and/or legs
- Feeling sick to your stomach and your stomach is swollen, painful and tender
- Weight changes of 3 pounds in one day or 5 pounds in one week



Adults need immunizations to prevent serious diseases. Some of those diseases include influenza (flu) and pneumococcalpneumonia. Pneumococcalpneumonia and influenza are leading causes of death in the nation for


older adults and can cause significant illness, particularly among individuals aged 65 years and older and those with chronic medical conditions.


WHO SHOULD GET IMMUNIZED?

Everyone needs a flu shot each year during the fall.

Everyone needs a pneumonia shot after they are 65.

If you have lung, heart or kidney disease, diabetes, HIV or cancer, you need a flu shot each year and a pneumonic chat before the age of 65





Discuss your immunization status and the possibility of receiving the immunizations you need with your doctor.

My last flu snot was:	
My last phoumococc	al shot was:

The Passport Pledge



I pledge to self-manage my heart failure by fulfilling my personal goals:

-	I will take my medication daily as my physician has ordered; if I cannot afford them, I will tell my physician
Lad	I will weigh myself everyday at the same time on the same scale
	I will reduce my salt intake
	I will stop smoking
	I will improve my physical activity
	I will call my physician if I have symptoms of heart failure such as weight gain, shortness of breath or excessive swelling of my feet, ankles or legs
	I will make regular appointments with my physician
Ò	I will have my blood pressure checked

This information is brought to you by Mountain-Pacific Quality Health, the Medicare quality improvement organization (QIO) for Montana, Wyoming, Hawaii and Alaska.

Mountain-Pacific is part of a nationwide network of QIOs and works locally, within the states and territories we serve, to achieve wide-scale improvements in patient care.



This material was developed by Mountain-Pacific Quality Health, the Medicare quality improvement organization for Montana, Wyoming, Hawaii and Alaska, under contract with the Centers for Medicare & Medicaid Services (CMS), an agency of the U.S. Department of Health and Human Services. Contents presented do not necessarily reflect CMS policy. 10SOW-MPQHF-MT-IPC-12-30